



## vNet Ethernet Interface for DL series Data Loggers

Please choose one attribute from each numbered category and add the corresponding mark to the grid on top of the table.  
 As a result configuration code for the Vaisala device is formed. Example of order code with typical settings:

vNet | **A** | **N** | **N** | **N**

**Selections in bold are included in the prices of the basic versions.**

*Selections in italic are available at an extra price.*

		1 2 3 4			
vNet Power over Ethernet (PoE) Logger Interface Configuration		vNet		N	N
<b>1. Fan and Power</b>	<b>With no fan, and no external output power</b>	<b>A</b>			
	<i>With no fan, and with external output power</i>	<i>B</i>			
	<i>With fan*, and no external power option</i>	<i>C</i>			
	<i>With fan*, and with external power option</i>	<i>D</i>			
<b>2. Power Supply Plug Type</b>	<b>None</b>		<b>N</b>		
	<i>US</i> <i>United States</i>		<i>1</i>		
	<i>UK</i> <i>United Kingdom</i>		<i>2</i>		
	<i>EUR</i> <i>Europe</i>		<i>3</i>		
	<i>AUS</i> <i>Australia</i>		<i>4</i>		
	<i>JA</i> <i>Japan</i>		<i>5</i>		
<i>ZH</i> <i>China</i>		<i>6</i>			
			<b>N</b>		
				<b>N</b>	

\* An option with a fan is needed when vNet is connected to a data logger with internal sensor.